



# Service Organization Control Report - SOC3 Type 2

Report on CyberArk Software Ltd.'s  
description of its Identity system for the  
period January 01, 2024 to December 31,  
2024



# Table of contents

<b>Section I - Report of Independent Service Auditor</b>	<b>3</b>
<b>Section II - Management of CyberArk Software Ltd.'s Assertion</b>	<b>6</b>
<b>Section III - CyberArk Software Ltd.'s Description of its Identity System</b>	<b>8</b>

# Section I

Report of  
Independent  
Service Auditor



## **Report of Independent Service Auditors**

To the Management of CyberArk Software Ltd.

### *Scope*

We have examined CyberArk Software Ltd.'s (the "Service Organization") accompanying assertion titled "Assertion of CyberArk Software Ltd.'s Service Organization Management" (the "assertion") that the controls within CyberArk Software Ltd. Identity system (the "system") were efficient throughout the period January 01, 2024 to December 31, 2024, to provide reasonable assurance that CyberArk Software Ltd.'s service commitments and system requirements were achieved based on the trust services criteria relevant to Security, Availability, and Confidentiality ("applicable trust services criteria") set forth in TSP section 100, *2017 Trust Services Criteria for Security, Availability, Processing Integrity, Confidentiality, and Privacy* (AICPA, *Trust Services Criteria*).

### *Service organization's responsibilities*

CyberArk Software Ltd. is responsible for its service commitments and system requirements and for designing, implementing, and operating effective controls within the system to provide reasonable assurance that the Service Organization's service commitments and system requirements were achieved. In Section II, the Service Organization has provided the accompanying assertion about the effectiveness of controls within the system. When preparing its assertion, CyberArk Software Ltd. is responsible for selecting, and identifying in its assertion, the applicable trust services criteria and for having a reasonable basis for its assertion by performing an assessment of the effectiveness of the controls within the system.

### *Service auditors' responsibilities*

Our responsibility is to express an opinion on our examination, on management's assertion that controls within the system were effective throughout the period to provide reasonable assurance that the service organization's service commitments and system requirements were achieved based on the applicable trust services criteria. Our examination was conducted in accordance with attestation standards established by the AICPA. Those standards require that we plan and perform our examination to obtain reasonable assurance about whether management's assertion is fairly stated, in all material respects. We believe that the evidence we obtained is sufficient and appropriate to provide a reasonable basis for our opinion.

We are required to be independent and to meet our other ethical responsibilities in accordance with relevant ethical requirements related to the engagement.

Our examination included:

- Obtaining an understanding of the system and the service organization's service commitments and system requirements
- Assessing the risks that controls were not effective to achieve CyberArk Software Ltd.'s service commitments and system requirements based on the applicable trust services criteria
- Performing procedures to obtain evidence about whether controls within the system were effective to achieve CyberArk Software Ltd.'s service commitments and system requirements based on the applicable trust services criteria



Our examination also included performing such other procedures as we considered necessary in the circumstances.

*Inherent limitations*

There are inherent limitations in the effectiveness of any system of internal control, including the possibility of human error and the circumvention of controls.

Because of their nature, controls may not always operate effectively to provide reasonable assurance that the service organization's service commitments and system requirements are achieved based on the applicable trust services criteria. Also, the projection to the future of any conclusions about the suitability of the design and operating effectiveness of controls is subject to the risk that controls may become inadequate because of changes in conditions or that the degree of compliance with the policies or procedures may deteriorate.

*Opinion*

In our opinion, management's assertion that the controls within CyberArk Software Ltd.'s Identity system were effective throughout the period January 01, 2024 to December 31, 2024, to provide reasonable assurance that CyberArk Software Ltd.'s service commitments and system requirements were achieved based on the applicable trust services criteria is fairly stated, in all material aspects.

*Restricted Use*

This report is intended solely for the information and use of CyberArk Software Ltd., user entities of CyberArk Software Ltd.'s system during some or all of the period January 01, 2024 to December 31, 2024, business partners of CyberArk Software Ltd. subject to risks arising from interactions with the system, and those who have sufficient knowledge and understanding of the complementary subservice organization controls and complementary user entity controls and how those controls interact with the controls at the service organization to achieve the organization's service commitments and system requirements.

A handwritten signature in blue ink, appearing to read 'Kesselman &amp; Kesselman'.

Tel-Aviv, Israel  
January 23, 2025

Kesselman & Kesselman  
Certified Public Accountants (Isr.)  
A member firm of PricewaterhouseCoopers International Limited

# Section II

## Management's Assertion



### Management of CyberArk Software Ltd.'s Assertion

We are responsible for designing, implementing, operating, and maintaining effective controls within CyberArk Software Ltd. Service Organization's (CyberArk Software Ltd.'s) Identity system (system) throughout the period January 1, 2024, to December 31, 2024, to provide reasonable assurance that CyberArk Software Ltd.'s service commitments and system requirements were achieved based on the trust services criteria relevant to security, availability, and confidentiality (applicable trust services criteria) set forth in [TSP section 100, 2017 Trust Services Criteria for Security, Availability, Processing Integrity, Confidentiality, and Privacy](#), in *AICPA Trust Services Criteria*. Our description of the boundaries of the system is presented in Section III and identifies the aspects of the system covered by our assertion.

We have performed an evaluation of the effectiveness of the controls within the system throughout the period January 1, 2024, to December 31, 2024, to provide reasonable assurance that CyberArk Software Ltd.'s service commitments and system requirements were achieved based on the applicable trust services criteria. CyberArk Software Ltd.'s objectives for the system in applying the applicable trust services criteria are embodied in its service commitments and system requirements relevant to the applicable trust services criteria. The principal service commitments and system requirements related to the applicable trust services criteria are presented in Section III.

There are inherent limitations in any system of internal control, including the possibility of human error and the circumvention of controls. Because of these inherent limitations, a service organization may achieve reasonable, but not absolute, assurance that its service commitments and system requirements are achieved.

We assert that the controls within the system were effective throughout the period January 1, 2024, to December 31, 2024, to provide reasonable assurance that CyberArk Software Ltd.'s service commitments and system requirements were achieved based on the applicable trust services criteria.

Signed by:



B5FBDC05A675461

---

**Omer Grossman,**  
**Chief Information Officer**

# Section III

Service  
Organization's  
Description of its  
System



## OVERVIEW OF OPERATIONS

### Company Background

CyberArk Software Ltd. (CyberArk) is the global leader in Identity Security. Centered on privileged access management, CyberArk provides the most comprehensive security offering for any identity – human or machine – across business applications, distributed workforces, hybrid cloud workloads and throughout the DevOps lifecycle. The world's leading organizations trust CyberArk to help secure their most critical assets.

### Description of Services Provided

CyberArk Workforce Identity helps today's businesses overcome the unique user authentication, authorization, and auditing challenges accompanying digital transformation. The services included in CyberArk Identity solution streamline operations and gives workers simple and secure access to all their enterprise resources—on-premises, cloud, hybrid—from any location, using any device.

The integrated CyberArk Identity SaaS solution includes solutions for Workforce and Customer Access and Identity Management:

#### Workforce Access:

- CyberArk Identity Directory Services: lets organizations centrally manage users, groups and devices at scale. The solution offers a standalone, extensible and scalable cloud directory but can also integrate with a variety of popular on-premises and cloud-based directories including Microsoft Active Directory, Azure Active Directory, Google Directory and other LDAP-based directories.
- CyberArk Identity Single Sign-On (SSO): allows for secure, risk-aware and frictionless access to enterprise applications using modern protocols. The solution helps eliminate password sprawl and fatigue, improve user experiences, and avoid risky workarounds like using common credentials or recording passwords on paper or spreadsheets. The solution also centralizes, unifies, and simplifies access administration, reducing help desk interactions and operating expenses.
- CyberArk Identity App Gateway: lets users securely access legacy on-premises applications using the same credentials and authentication methods they use to access cloud apps. The solution provides strong security and easy access without requiring a VPN thereby reducing operating costs and IT support overhead. Easy to implement, the gateway can be deployed without modifying application code or reconfiguring firewall rules.
- CyberArk Identity Adaptive Multi-Factor Authentication (MFA): helps businesses secure enterprise resources from fraud and credential thefts. The solution supports a variety of authentication mechanisms, including passwordless factors, and protects a range of enterprise identities and resources, such as applications, infrastructure, and endpoints. Unlike traditional MFA solutions, CyberArk Identity Adaptive MFA uses AI-powered behavioral analytics and contextual information to dynamically challenge the users with different authentication factors, thereby improving user productivity without compromising security.
- CyberArk Identity User Behavior Analytics: provides an extensible sensor-based architecture to ingest third-party log data, uses a smart AI-powered engine for deep analysis, and provides interactive dashboards to visualize user behavior and threats in real time. The system uses a wide range of events to arrive at a user risk score which can then be used to control access to various enterprise resources or initiate custom remediation workflows using CyberArk Identity Flows.
- CyberArk Endpoint Authentication: allows enterprises to control access to corporate resources only from trusted and secured endpoints. It uses a range of endpoint context data like device location, browser, OS, rooted/jailbroken device, etc. to challenge and validate the user before granting access.
- CyberArk Workforce Password Management: enables enterprises to securely store, manage and share business application credentials in CyberArk Identity Cloud or self-hosted vault. It provides users a seamless, one-click secure access to business apps and eliminates the need to save credentials in other password managers or browsers. It also allows to securely store and share

*This report is intended solely for the use by the management of CyberArk Software Ltd. And the specified parties, and is not intended and should not be used by anyone other than these parties*

text-based items such as serial numbers, licenses, file attachments, PINs or other confidential secrets.

- CyberArk Identity Secure Web Sessions: allows enterprises to gain visibility into every action their users take within web applications secured by CyberArk Identity. It can record, audit, and protect end-user activity within designated web applications without impacting the user experience. The solution protects applications against unauthorized access by intelligently detecting open sessions and requiring user re-authentication. It protects web sessions against data exfiltration by restricting downloads and copying data. In addition, the optional integration with CyberArk Endpoint Privilege Manager adds protection against ransomware attacks on web browsers and blocks untrusted scripts.
- CyberArk B2B Identity: allows enterprises to provide fast and frictionless access to corporate resources for business partners, vendors, and clients while protecting business critical systems against malicious attacks and data breaches. It provides a wide range of low-code widgets and developer toolkits to easily build, embed and secure web & mobile apps. It also enables federated and social identity access to allow seamless partner and customer access to applications without the need to authenticate, duplicate and manage the lifecycle of external users.

#### **Identity Management:**

- CyberArk Identity Lifecycle Management (LCM): lets administrators efficiently onboard and offboard users and manage their access privileges throughout their course of employment. It can easily integrate with leading HR systems to automate joiner, mover, and leaver use cases thereby eliminating manually-intensive, error-prone processes. The solution includes self-service tools for users and approving managers, as well as administrative reports to help security teams track access activity, investigate incidents, and support compliance audits.
- CyberArk Identity Flows: allows organizations to eliminate manual tasks and processes by automating complex identity management workflows. A no-code visual editor and thousands of pre-built connectors make it possible to rapidly orchestrate identity events, build workflows, and synchronize identity data across diverse applications, directory stores, and repositories.
- CyberArk Identity Compliance: provides a single view of who has access to what — and makes it easier for organizations to enforce and demonstrate compliance by continuously discovering access, streamlining access certifications, and providing comprehensive identity analytics. Identity Compliance automates manually intensive, error-prone administrative processes, ensuring that all access rights, including privileged access, are properly assigned and continually certified across the extended enterprise.

### **Principal Service Commitments and System Requirements**

CyberArk designs its processes and procedures related to the Identity SaaS Platform to meet its objectives for its Identity SaaS Platform. Those objectives are based on the service commitments that CyberArk makes to user entities, the laws and regulations that govern the provision of Identity Platform SaaS service, and the financial, operational, and compliance requirements that CyberArk has established for the service. The Identity Platform SaaS solution of CyberArk are subject to the security and privacy requirements of the relevant privacy and security laws and regulations in the jurisdictions in which CyberArk operates.

Security commitments to user entities are documented and communicated in Service Level Agreements (SLAs) and other customer agreements, as well as in the description of the service offering provided online. Security commitments are standardized and include, but are not limited to, the following:

Security principles within the fundamental designs of the Identity SaaS Platform are designed to permit system users to access the information they need based on their role in the system while restricting them from accessing information not needed for their role.

Use of encryption technologies to protect customer data both at rest and in transit.

*This report is intended solely for the use by the management of CyberArk Software Ltd. And the specified parties, and is not intended and should not be used by anyone other than these parties*

CyberArk establishes operational requirements that support the achievement of security commitments, relevant laws and regulations, and other system requirements. Such requirements are communicated in CyberArk's system policies and procedures, system design documentation, and contracts with customers. Information security policies define an organization-wide approach to how systems and data are protected. These include policies around how the service is designed and developed, how the system is operated, how the internal business systems and networks are managed and how employees are hired and trained. In addition to these policies, standard operating procedures have been documented on how to carry out specific manual and automated processes required in the operation and development of the Identity SaaS Platform.

## Components of the System

### Infrastructure

Primary infrastructure used to provide CyberArk's Identity SaaS Platform includes the following:

Primary Infrastructure		
Hardware	Type	Purpose
AWS Aurora Postgres	Postgres	Customer data storage -Identity Services
AWS Redshift	N/A	ML Data
AWS Elastic Cache	Redis	Cache Management
AWS EC2	Windows, Linux	Compute
AWS S3	N/A	Log Management
AWS Lambda	N/A	Platform Communication
Nginx+App Protect	N/A	Routing and WAF
AWS Pinpoint	SMS/Email	MFA OTP

### Software

Primary software used to provide CyberArk's Identity SaaS Platform includes the following:

Primary Software		
Software	Operating System	Purpose
Dynatrace, Cloud Watch, OpenSearch	Linux	Application monitoring
AWS Aurora Postgres DB – RDS snapshots	N/A	Backup/Replication
OpenSearch / AWS S3	N/A	Logging/Storage
PagerDuty	N/A	Infrastructure monitoring/Alerting
Checkmarx, Snyk	N/A	Vulnerability management
MS Windows Defender	Windows Server 2019	Anti-virus
JIRA	N/A	Helpdesk/Ticketing system

*This report is intended solely for the use by the management of CyberArk Software Ltd. And the specified parties, and is not intended and should not be used by anyone other than these parties*

## *People*

CyberArk staff provides support for the above services in each of the following functional areas:

- Executive management - provides general oversight and strategic planning of operations.
- Development team - responsible for delivering a responsive system that fully complies with the functional specification.
- Quality assurance team - verifies that the system complies with the functional specification through functional testing procedures.
- System administrators - responsible for effective provisioning, installation/configuration, operation, and maintenance of systems hardware and software relevant to the system.

## *Data*

Customer data is managed, processed, and stored in accordance with the relevant data protection and other regulations, with specific requirements formally established in customer contracts. Customer data is captured which is utilized by CyberArk in delivering its Identity SaaS Platform. Such data includes, but is not limited to, the following:

- Alert notifications and monitoring reports generated from the commercial monitoring applications.
- Alert notifications received from automated backup systems.
- Vulnerability or security alerts received from various sources including security subscriptions, scanning tools, IDS alerts, or automated patching systems.

## *Processes, Policies and Procedures*

Formal Information Technology (IT) policies and procedures exist that describe physical security, logical access, computer operations, change control, and data communication standards. All teams are expected to adhere to CyberArk's policies and procedures that define how services should be delivered. These are located on the Company's intranet and can be accessed by any CyberArk team member.

### Physical Security

Employees are provided with card access and granted access to CyberArk Offices as defined by their roles. The access card/ID system is used to control access in order to enter an office. Certain areas are more sensitive than others and require extra security. Visitors in CyberArk Offices must be escorted and follow the company guidelines beyond the entrance point. Visitors must present a clearly visible visitor badge. Upon an employee's termination of employment, the access is disabled from the facility. The Chief Information Security Officer (CISO) is responsible for assessing and providing physical security solutions to all CyberArk Offices globally.

The CyberArk Identity SaaS Platform solution runs on AWS datacenters which are Service Organization Control (SOC) 2 Type II certified, with fully redundant power backup systems, fire suppression systems, and security guards. All data centers are hardened against physical intrusion, and server room access is limited to certified employees.

### Logical Access

CyberArk uses role-based security architecture and requires users of the system to be identified and authenticated prior to the use of any system resources. The procedures include the life cycle of user access from the initial registration to the de-registration of users who no longer need access. Resources are protected using native system security and add-on software products that identify and authenticate

*This report is intended solely for the use by the management of CyberArk Software Ltd. And the specified parties, and is not intended and should not be used by anyone other than these parties*

users and validate access requests against the users' authorized roles in access control lists. Segregation of duty is in place between the group that approves the access and the group that provides the access.

Asset management procedures are in place to define the process of receiving, tagging, documenting and disposing of the equipment. An information security steering committee consisting of the Chief Executive Officer (CEO), General Manager (GM), Chief Information Officer (CIO) and CISO holds periodic meetings to review the information security projects and other necessary management activities.

#### Computer Operations - Backups

Customer data is backed up and monitored by operations personnel for completion. Business-related data is protected by regular backups performed per schedule. In the event of an exception, operations personnel perform troubleshooting to identify the root cause and then re-run the backup job immediately. The IT department practices procedures to store information to prevent unauthorized use. Periodic restores are performed on certain defined files.

#### Computer Operations - Availability

Incident response policies and procedures are in place to guide personnel in reporting and responding to information technology incidents. Procedures exist to identify, report, and act upon system security breaches and other incidents. Incident response procedures are in place to identify and respond to incidents on the network.

CyberArk monitors the capacity utilization of physical and computing infrastructure both internally and for customers to ensure that service delivery matches service level agreements.

CyberArk evaluates the need for additional infrastructure capacity in response to the growth of existing customers and/or the addition of new customers. Infrastructure capacity monitoring includes, but is not limited to, the following infrastructure:

- Data center space, power and cooling
- Disk storage
- Network bandwidth

CyberArk has implemented a patch management process to ensure contracted customers and infrastructure systems are patched in accordance with vendor-recommended operating system patches. CyberArk's business continuity plan and disaster recovery plans are designed to provide solutions in case of disasters and unexpected interruptions.

#### Change Control

CyberArk maintains documented change management policies and procedures to guide personnel in documenting and implementing application and infrastructure changes. A ticketing system is utilized to document the change control procedures for changes in the application and implementation of new changes. Quality assurance testing results are maintained for the changes. Development and testing are performed in an environment that is logically separated from the production environment. Version control software is utilized to maintain source code versions and migrate source code through the development process to the production environment. The version control software maintains a history of code changes to support rollback capabilities and tracks changes to developers.

#### Data Communications

Firewall systems are in place to filter unauthorized inbound network traffic from the Internet and deny any type of network connection that is not explicitly authorized. Network address translation (NAT)

*This report is intended solely for the use by the management of CyberArk Software Ltd. And the specified parties, and is not intended and should not be used by anyone other than these parties*

functionality is utilized to manage internal Internet Protocol (IP) addresses. Administrative access to the firewall is restricted to authorized employees.

Redundancy is built into the system infrastructure supporting the data center services to help ensure that there is no single point of failure including firewalls, routers, and servers. In the event that a primary system fails, the redundant hardware is configured to take its place. Penetration testing is conducted to measure the security posture of a target system or environment. Vulnerability scanning is performed as a part of the penetration testing. Authorized employees may access the system from the Internet through the use of Virtual Private Network (VPN) technology. Employees are authenticated through the use of a token-based two-factor authentication system.

### **Boundaries of the System**

The scope of this report includes the CyberArk Identity SaaS Solution performed at CyberArk facilities and/or by its personnel working remotely.

This report does not include the cloud hosting services provided by AWS performed at various facilities.

## **RELEVANT ASPECTS OF THE CONTROL ENVIRONMENT, RISK ASSESSMENT PROCESS, INFORMATION AND COMMUNICATION, AND MONITORING**

### **Control Environment**

#### *Integrity and Ethical Values*

The effectiveness of controls cannot rise above the integrity and ethical values of the people who create, administer, and monitor them. Integrity and ethical values are essential elements of CyberArk's control environment, affecting the design, administration, and monitoring of other components. Integrity and ethical behavior are the product of CyberArk's ethical and behavioral standards, how they are communicated, and how they are reinforced in practices. They include management's actions to remove or reduce incentives and temptations that might prompt personnel to engage in dishonest, illegal, or unethical acts. They also include the communication of entity values and behavioral standards to personnel through policy statements and codes of conduct, as well as by example.

Specific control activities that the service organization has implemented in this area are described below:

- Formally, documented organizational policy statements and codes of conduct communicate entity values and behavioral standards to personnel.
- Policies and procedures require employees to sign an acknowledgment form indicating they have been given access to the employee manual and understand their responsibility for adhering to the policies and procedures contained within the manual.
- A confidentiality statement agreeing not to disclose proprietary or confidential information, including client information, to unauthorized parties is a component of the employee handbook.
- Employees are required to sign a non-disclosure agreement upon hire.
- The hiring process for candidates at CyberArk includes external reference checks. These checks may also include verification of education and previous employment history. Where local labor law or statutory regulations permit, CyberArk may also conduct criminal, credit, immigration and security checks, depending upon the specific jurisdiction and position.

#### *Commitment to Competence*

CyberArk's management defines competence as the knowledge and skills necessary to accomplish tasks that define employees' roles and responsibilities. Management's commitment to competence includes management's consideration of the competence levels for particular jobs and how those levels translate into the requisite skills and knowledge.

*This report is intended solely for the use by the management of CyberArk Software Ltd. And the specified parties, and is not intended and should not be used by anyone other than these parties*

Specific control activities that the service organization has implemented in this area are described below:

- Management has considered the competence levels for particular jobs and translated required skills and knowledge levels into written position requirements.
- Training is provided to maintain the skill level of personnel in certain positions.

#### *Management's Philosophy and Operating Style*

CyberArk's management philosophy and operating style encompass a broad range of characteristics. Such characteristics include management's approach to taking and monitoring business risks, and management's attitudes toward information processing, accounting functions, and personnel.

Specific control activities that the service organization has implemented in this area are described below:

- Management is periodically briefed on regulatory and industry changes affecting the services provided.
- Executive management meetings are held to discuss major initiatives and issues that affect the business as a whole.

#### *Organizational Structure and Assignment of Authority and Responsibility*

CyberArk's organizational structure provides the framework within which its activities for achieving entity-wide objectives are planned, executed, controlled, and monitored. Management believes establishing a relevant organizational structure includes considering key areas of authority and responsibility. An organizational structure has been developed to suit its needs. This organizational structure is based, in part, on its size and the nature of its activities.

CyberArk's assignment of authority and responsibility activities includes factors such as how authority and responsibility for operating activities are assigned and how reporting relationships and authorization hierarchies are established. It also includes policies relating to appropriate business practices, knowledge, and experience of key personnel, and resources provided for carrying out duties. In addition, it includes policies and communications directed at ensuring personnel understand the entity's objectives, know how their individual actions interrelate and contribute to those objectives, and recognize how and for what they will be held accountable.

Specific control activities that the service organization has implemented in this area are described below:

- Organizational charts are in place to communicate key areas of authority and responsibility.
- Organizational charts are communicated to employees and updated as needed.

#### *Human Resources Policies and Practices*

CyberArk's success is founded on sound business ethics, reinforced with a high level of efficiency, integrity, and ethical standards. The result of this success is evidenced by its proven track record for hiring and retaining top quality personnel who ensures the service organization is operating at maximum efficiency. CyberArk's human resources policies and practices relate to employee hiring, orientation, training, evaluation, counseling, promotion, compensation, and disciplinary activities.

Specific control activities that the service organization has implemented in this area are described below:

- According to applicable laws in each jurisdiction, new employees are required to sign acknowledgement forms for the employee handbook and a confidentiality agreement following new hire orientation on their first day of employment
- Evaluations for each employee are performed on an annual basis
- Employee termination procedures are in place to guide the termination process and are documented in a termination checklist

*This report is intended solely for the use by the management of CyberArk Software Ltd. And the specified parties, and is not intended and should not be used by anyone other than these parties*

## **Risk Assessment Process**

CyberArk's risk assessment process identifies and manages risks that could potentially affect CyberArk's ability to provide reliable services to user organizations. This ongoing process requires that management identify significant risks inherent in products or services as they oversee their areas of responsibility. CyberArk identifies the underlying sources of risk, measures the impact to the organization, establishes acceptable risk tolerance levels, and implements appropriate measures to monitor and manage the risks.

### *Integration with Risk Assessment*

The environment in which the system operates; the commitments, agreements, and responsibilities of CyberArk's Identity SaaS Platform systems; as well as the nature of the components of the system result in risks that the criteria will not be met. CyberArk addresses these risks through the implementation of suitably designed controls to provide reasonable assurance that the criteria are met. Because each system and the environment in which it operates are unique, the combination of risks to meet the criteria and the controls necessary to address the risks will be unique. As part of the design and operation of the system, CyberArk's management identifies the specific risks that the criteria will not be met and the controls necessary to address those risks.

## **Information and Communications Systems**

Information and communication are an integral component of CyberArk's internal control system. It is the process of identifying, capturing, and exchanging information in the form and time frame necessary to conduct, manage, and control the entity's operations. This process encompasses the primary classes of transactions of the organization, including the dependence on, and complexity of, information technology. At CyberArk, information is identified, captured, processed, and reported by various information systems, as well as through conversations with clients, vendors, regulators, and employees.

Various weekly and monthly calls are held to discuss operational efficiencies within the applicable functional areas and to disseminate new policies, procedures, controls, and other strategic initiatives within the organization. General updates to entity-wide security policies and procedures are usually communicated to the appropriate CyberArk personnel via e-mail messages.

Specific information systems used to support CyberArk's Identity SaaS Platform are described in the Description of Services section above.

## **Monitoring Controls**

Management monitors controls to ensure that they are operating as intended and that controls are modified as conditions change. CyberArk's management performs monitoring activities to continuously assess the quality of internal control over time. Necessary corrective actions are taken as required to correct deviations from company policies and procedures. Employee activity and adherence to company policies and procedures are also monitored. This process is accomplished through ongoing monitoring activities, separate evaluations, or a combination of the two.

### *Incident Response Controls*

CyberArk maintains a formalized Incident Response Plan (IRP) and policy. The incident response policy defines how security incidents are identified, classified, reported, remediated and mitigated throughout incident response stages including post-incident assessments. The CyberArk information security department promptly investigates reported anomalies and suspected security breaches on an enterprise-wide level. On an annual basis, CyberArk performs an incident response drill to assess the effectiveness of its incident response plan and activities.

*This report is intended solely for the use by the management of CyberArk Software Ltd. And the specified parties, and is not intended and should not be used by anyone other than these parties*



### *On-Going Monitoring*

CyberArk's management conducts quality assurance monitoring on a regular basis and additional training is provided based upon results of monitoring procedures. Monitoring activities are used to initiate corrective action through department meetings, internal conference calls, and informal notifications.

Management's close involvement in CyberArk's operations helps to identify significant variances from expectations regarding internal controls. Upper management evaluates the facts and circumstances related to any suspected control breakdown. A decision for addressing any control's weakness is made based on whether the incident was isolated or requires a change in the company's procedures or personnel. The goal of this process is to ensure legal compliance and maximize the performance of CyberArk's personnel.

### *Reporting Deficiencies*

An internal tracking tool and files are utilized to document and track the results of ongoing monitoring procedures. Escalation procedures are maintained for responding and notifying management of any identified risks. Risks receiving a high rating are responded to immediately. Corrective actions, if necessary, are documented and tracked within the internal tracking tool. Annual risk meetings are held for management to review reported deficiencies and corrective actions.

### **Changes to the System in the Last 12 Months**

No significant changes have occurred to the services provided to user entities in the 12 months preceding the end of the review period.

### **Incidents in the Last 12 Months**

No significant incidents have occurred to the services provided to user entities in the 12 months preceding the end of the review period.

### **Criteria Not Applicable to the System**

All Common, Availability and Confidentiality criteria were applicable to CyberArk's Identity SaaS Solution System.

### **Subservice Organizations**

This report does not include the cloud hosting services provided by AWS at various facilities.

### *Subservice Description of Services*

CyberArk leverages a variety of AWS offerings for hosting CyberArk platform infrastructure. AWS allows for a secure, scalable and redundant utilization of cloud compute, storage and network resources. Listing of utilized AWS services is detailed under "Components of the System: Infrastructure" section of this document.

### *Complementary Subservice Organization Controls*

CyberArk's services are designed with the assumption that certain controls will be implemented by subservice organizations. Such controls are called complementary subservice organization controls. It is not feasible for all of the control objectives related to CyberArk's services to be solely achieved by Cyber control procedures. Accordingly, subservice organizations, in conjunction with the services, should establish their own internal controls or procedures to complement those of CyberArk.

The following subservice organization controls should be implemented by AWS to provide additional assurance that the control objectives described within this report are met.

*This report is intended solely for the use by the management of CyberArk Software Ltd. And the specified parties, and is not intended and should not be used by anyone other than these parties*

<b>Subservice Organization - AWS</b>		
<b>Category</b>	<b>Criteria</b>	<b>Control</b>
Common Criteria / Security	CC6.4	Physical access to data centers is approved by an authorized individual.
		Physical access is revoked within 24 hours of the employee or vendor record being deactivated.
		Physical access to data centers is reviewed on a quarterly basis by appropriate personnel.
		Physical access points to server locations are recorded by closed circuit television camera (CCTV). Images are retained for 90 days, unless limited by legal or contractual obligations.
		Physical access points to server locations are managed by electronic access control devices.
		Electronic intrusion detection systems are installed within data server locations to monitor, detect, and automatically alert appropriate personnel of security incidents.
Common Criteria / Security, Confidentiality	CC6.5, C1.2	All AWS production media is securely decommissioned and physically destroyed prior to leaving AWS Secure Zones.
		AWS provides customers the ability to delete their content. Once successfully removed the data is rendered unreadable.
		AWS retains customer content per customer agreements.
Common Criteria / Availability	A1.2	Data centers are protected by fire detection and suppression systems.
		Data centers are air conditioned to maintain appropriate atmospheric conditions. Personnel and systems monitor and control air temperature and humidity at appropriate levels.
		Uninterruptible Power Supply (UPS) units provide backup power in the event of an electrical failure in data centers.
		Data centers have generators to provide backup power in case of electrical failure.
		Contracts are in place with third-party colocation service providers which include provisions to provide fire suppression systems, air conditioning to maintain appropriate atmospheric conditions, UPS units, and redundant power supplies.
		AWS performs periodic reviews of colocation service providers to validate adherence with AWS security and operational standards.
		S3-Specific - When disk corruption or device failure is detected, the system automatically attempts to restore normal levels of object storage redundancy.
		S3-Specific - Objects are stored redundantly across multiple fault-isolated facilities.

*This report is intended solely for the use by the management of CyberArk Software Ltd. And the specified parties, and is not intended and should not be used by anyone other than these parties*

Subservice Organization - AWS		
Category	Criteria	Control
		S3-Specific - The design of systems is sufficiently redundant to sustain the loss of a data center facility without interruption to the service.
		RDS-Specific - If enabled by the customer, RDS backs up customer databases, stores backups for user-defined retention periods, and supports point-in-time recovery.
		Monitoring and alarming are configured by Service Owners to identify and notify operational and management personnel of incidents when early warning thresholds are crossed on key operational metrics.
		Incidents are logged within a ticketing system, assigned severity rating and tracked to resolution.
		Critical AWS system components are replicated across multiple Availability Zones and backups are maintained.
		Backups of critical AWS system components are monitored for successful replication across multiple Availability Zones.

CyberArk management, along with the subservice organization, defines the scope and responsibility of the controls necessary to meet all the relevant trust services criteria through written contracts, such as service level agreements. In addition, CyberArk performs monitoring of the subservice organization controls, including the following procedures:

- Reviewing attestation reports over services provided by vendors and the subservice organization.
- Monitoring external communications relevant to the services by the subservice organization.

## COMPLEMENTARY USER ENTITY CONTROLS

CyberArk's services are designed with the assumption that certain controls will be implemented by user entities. Such controls are called complementary user entity controls. It is not feasible for all of the Trust Services Criteria related to CyberArk's services to be solely achieved by CyberArk control procedures. Accordingly, user entities, in conjunction with the services, should establish their own internal controls or procedures to complement those of CyberArk's.

The following complementary user entity controls should be implemented by user entities to provide additional assurance that the Trust Services Criteria described within this report are met. As these items represent only a part of the control considerations that might be pertinent at the user entities' locations, user entities' auditors should exercise judgment in selecting and reviewing these complementary user entity controls.

1. User entities are responsible for understanding and complying with their contractual obligations to CyberArk.
2. User entities are responsible for notifying CyberArk of changes made to technical or administrative contact information.
3. User entities are responsible for maintaining their own system(s) of record.
4. User entities are responsible for ensuring the supervision, management, and control of the use of CyberArk services by their personnel.
5. User entities are responsible for providing CyberArk with a list of approvers for security and system configuration changes for data transmission.
6. User entities are responsible for immediately notifying CyberArk of any actual or suspected information security breaches, including compromised user accounts, including those used for integrations and secure file transfers.
7. User entities are responsible for developing their own disaster recovery and business continuity plans that address the inability to access or utilize CyberArk services.
8. User entities are responsible for user access administration in the CyberArk SaaS product, including reviewing access for their personnel as needed.
9. User entities are responsible for exporting any customer data from the SaaS product to which they desire continued access to within 60 days of termination or expiration of the customer's subscription term.