



**A-LIGN**



**CYBERARK**<sup>®</sup>  
The Identity Security Company

CyberArk Software Ltd.

SOC 3 Type 2

January 1, 2023 to December 31, 2023



**SOC 3 FOR SERVICE ORGANIZATIONS REPORT**

**January 1, 2023 to December 31, 2023**

# Table of Contents

<b>SECTION 1 ASSERTION OF CYBERARK SOFTWARE LTD. MANAGEMENT .....</b>	<b>1</b>
<b>SECTION 2 INDEPENDENT SERVICE AUDITOR'S REPORT .....</b>	<b>3</b>
<b>SECTION 3 CYBERARK SOFTWARE LTD.'S DESCRIPTION OF ITS SECURE WEB SESSIONS SERVICES SYSTEM THROUGHOUT THE PERIOD JANUARY 1, 2023 TO DECEMBER 31, 2023.....</b>	<b>7</b>
<b>OVERVIEW OF OPERATIONS .....</b>	<b>8</b>
Company Background .....	8
Description of Services Provided.....	8
Principal Service Commitments and System Requirements .....	9
Components of the System .....	9
Boundaries of the System.....	13
Changes to the System in the Last 12 Months .....	13
Incidents in the Last 12 Months .....	13
Criteria Not Applicable to the System .....	13
Subservice Organizations .....	13
<b>COMPLEMENTARY USER ENTITY CONTROLS .....</b>	<b>15</b>

## **SECTION 1**

### **ASSERTION OF CYBERARK SOFTWARE LTD. MANAGEMENT**

## ASSERTION OF CYBERARK SOFTWARE LTD. MANAGEMENT

January 5, 2024

We are responsible for designing, implementing, operating, and maintaining effective controls within CyberArk Software Ltd.'s ('CyberArk' or 'the Company') Secure Web Sessions Services System throughout the period January 1, 2023 to December 31, 2023, to provide reasonable assurance that CyberArk's service commitments and system requirements were achieved based on the trust services criteria relevant to Security, Availability, and Confidentiality (applicable trust services criteria) set forth in TSP section 100, *2017 Trust Services Criteria for Security, Availability, Processing Integrity, Confidentiality, and Privacy* in AICPA, *Trust Services Criteria*. Our description of the boundaries of the system is presented below in "CyberArk Software Ltd.'s Description of Its Secure Web Sessions Services System throughout the period January 1, 2023 to December 31, 2023" and identifies the aspects of the system covered by our assertion.

We have performed an evaluation of the effectiveness of the controls within the system throughout the period January 1, 2023 to December 31, 2023, to provide reasonable assurance that CyberArk's service commitments and system requirements were achieved based on the trust services criteria. CyberArk's objectives for the system in applying the applicable trust services criteria are embodied in its service commitments and system requirements relevant to the applicable trust services criteria. The principal service commitments and system requirements related to the applicable trust services criteria are presented in "CyberArk Software Ltd.'s Description of Its Secure Web Sessions Services System throughout the period January 1, 2023 to December 31, 2023".

CyberArk uses Amazon Web Services ('AWS' or 'subservice organization') to provide cloud hosting services. The description indicates that complementary subservice organization controls that are suitably designed and operating effectively are necessary, along with controls at CyberArk, to achieve CyberArk's service commitments and system requirements based on the applicable trust services criteria. The description presents CyberArk's controls, the applicable trust services criteria, and the types of complementary subservice organization controls assumed in the design of CyberArk's controls. The description does not disclose the actual controls at the subservice organization.

The description indicates that complementary user entity controls that are suitably designed and operating effectively are necessary to achieve CyberArk's service commitments and system requirements based on the applicable trust services criteria. The description presents the applicable trust services criteria and the complementary user entity controls assumed in the design of CyberArk's controls.

There are inherent limitations in any system of internal control, including the possibility of human error and the circumvention of controls. Because of these inherent limitations, a service organization may achieve reasonable, but not absolute, assurance that its service commitments and system requirements are achieved.

We assert that the controls within the system were effective throughout the period January 1, 2023 to December 31, 2023 to provide reasonable assurance that CyberArk's service commitments and system requirements were achieved based on the applicable trust services criteria, if complementary subservice organization controls and complementary user entity controls assumed in the design of CyberArk's controls operated effectively throughout that period.



---

Dror Hevlin  
Chief Information Security Officer  
CyberArk Software Ltd.

**SECTION 2**  
**INDEPENDENT SERVICE AUDITOR'S REPORT**



## INDEPENDENT SERVICE AUDITOR'S REPORT

To: CyberArk Software Ltd.

### *Scope*

We have examined CyberArk's accompanying assertion titled "Assertion of CyberArk Software Ltd. Management" (assertion) that the controls within CyberArk's Secure Web Sessions Services System were effective throughout the period January 1, 2023 to December 31, 2023, to provide reasonable assurance that CyberArk's service commitments and system requirements were achieved based on the trust services criteria relevant to Security, Availability, and Confidentiality (applicable trust services criteria) set forth in TSP section 100, *2017 Trust Services Criteria for Security, Availability, Processing Integrity, Confidentiality, and Privacy* in AICPA *Trust Services Criteria*.

CyberArk uses AWS to provide cloud hosting services. The description indicates that complementary subservice organization controls that are suitably designed and operating effectively are necessary, along with controls at CyberArk, to achieve CyberArk's service commitments and system requirements based on the applicable trust services criteria. The description presents CyberArk's controls, the applicable trust services criteria, and the types of complementary subservice organization controls assumed in the design of CyberArk's controls. The description does not disclose the actual controls at the subservice organization. Our examination did not include the services provided by the subservice organization, and we have not evaluated the suitability of the design or operating effectiveness of such complementary subservice organization controls.

The description indicates that complementary user entity controls that are suitably designed and operating effectively are necessary, along with controls at CyberArk, to achieve CyberArk's service commitments and system requirements based on the applicable trust services criteria. The description presents CyberArk's controls, the applicable trust services criteria, and the complementary user entity controls assumed in the design of CyberArk's controls. Our examination did not include such complementary user entity controls and we have not evaluated the suitability of the design or operating effectiveness of such controls.

### *Service Organization's Responsibilities*

CyberArk is responsible for its service commitments and system requirements and for designing, implementing, and operating effective controls within the system to provide reasonable assurance that CyberArk's service commitments and system requirements were achieved. CyberArk has also provided the accompanying assertion (CyberArk assertion) about the effectiveness of controls within the system. When preparing its assertion, CyberArk is responsible for selecting, and identifying in its assertion, the applicable trust services criteria and for having a reasonable basis for its assertion by performing an assessment of the effectiveness of the controls within the system.

### *Service Auditor's Responsibilities*

Our responsibility is to express an opinion, based on our examination, on management's assertion that controls within the system were effective throughout the period to provide reasonable assurance that the service organization's service commitments and system requirements were achieved based on the applicable trust services criteria. Our examination was conducted in accordance with attestation standards established by the AICPA. Those standards require that we plan and perform our examination to obtain reasonable assurance about whether management's assertion is fairly stated, in all material respects. We believe that the evidence we obtained is sufficient and appropriate to provide a reasonable basis for our opinion.

Our examination included:

- Obtaining an understanding of the system and the service organization's service commitments and system requirements
- Assessing the risks that the description is not presented in accordance with the description criteria and that controls were not suitably designed or did not operate effectively
- Performing procedures to obtain evidence about whether controls stated in the description were suitably designed to provide reasonable assurance that the service organization achieved its service commitments and system requirements based on the applicable trust services criteria

Our examination also included performing such other procedures as we considered necessary in the circumstances.

#### *Independence and Ethical Responsibilities*

We are required to be independent and to meet our other ethical responsibilities in accordance with relevant ethical requirements relating to the examination engagement.

#### *Inherent Limitations*

There are inherent limitations in the effectiveness of any system of internal control, including the possibility of human error and the circumvention of controls.

Because of their nature, controls may not always operate effectively to provide reasonable assurance that the service organization's service commitments and system requirements are achieved based on the applicable trust services criteria. Also, the projection to the future of any conclusions about the suitability of the design and operating effectiveness of controls is subject to the risk that controls may become inadequate because of changes in conditions or that the degree of compliance with the policies or procedures may deteriorate.

#### *Opinion*

In our opinion, management's assertion that the controls within CyberArk's Secure Web Sessions Services System were suitably designed and operating effectively throughout the period January 1, 2023 to December 31, 2023, to provide reasonable assurance that CyberArk's service commitments and system requirements were achieved based on the applicable trust services criteria is fairly stated, in all material respects, if complementary subservice organization controls and complementary user entity controls assumed in the design of CyberArk's controls operated effectively throughout that period.

The SOC logo for Service Organizations on CyberArk's website constitutes a symbolic representation of the contents of this report and is not intended, nor should it be construed, to provide any additional assurance.

#### *Restricted Use*

This report, is intended solely for the information and use of CyberArk, user entities of CyberArk's Secure Web Sessions Services during some or all of the period January 1, 2023 to December 31, 2023, business partners of CyberArk subject to risks arising from interactions with the Secure Web Sessions Services, and those who have sufficient knowledge and understanding of the complementary subservice organization controls and complementary user entity controls and how those controls interact with the controls at the service organization to achieve the service organization's service commitments and system requirements.

This report is not intended to be, and should not be, used by anyone other than these specified parties.

A-LIGN ASSURANCE

---

Tampa, Florida  
January 5, 2024

## **SECTION 3**

### **CYBERARK SOFTWARE LTD.'S DESCRIPTION OF ITS SECURE WEB SESSIONS SERVICES SYSTEM THROUGHOUT THE PERIOD JANUARY 1, 2023 TO DECEMBER 31, 2023**

## OVERVIEW OF OPERATIONS

### Company Background

CyberArk is the global leader in Identity Security. Centered on privileged access management, CyberArk provides the most comprehensive security offering for any identity - human or machine - across business applications, distributed workforces, hybrid cloud workloads and throughout the DevOps lifecycle. The world's leading organizations trust CyberArk to help secure their most critical assets.

### Description of Services Provided

CyberArk Identity Secure Web Sessions is a SaaS service that records, audits and protects end-user activity within designated web applications. The solution uses a browser extension on an end-user's endpoint to monitor and segregate web apps that are accessed through CyberArk Identity Single Sign-On (SSO) or via integrations with third-party SSO solutions that are deemed sensitive by business application owners, enterprise IT and security administrators. Security and compliance professionals can use Secure Web Sessions to efficiently identify anomalous activity, investigate issues and support audits.

#### *Record Every Step*

Secure Web Sessions captures all end-user actions using a "stepper" approach. Specific actions, like mouse-clicks and "enter" or "tab" keystrokes, trigger a screenshot of the end-users' browser along with relevant metadata without impairing the end-user experience. This monitoring is performed via the browser extension and functions in a way that is agnostic to the application itself allowing it to work with any target web-application accessed via, without requiring additional application specific-tuning (and maintenance). Each screenshot is saved and viewed in an end-to-end encrypted manner, where CyberArk never has access to the private key required to decrypt them at any time.

#### *Audit User Activity*

Search recorded sessions using free text input and filter security events by dates and actions for step-by-step breakdown of user activity. The session audit trails provide context, for actions taken before, during, and after an event, whether for remediation or compliance purposes.

#### *Continuously Authenticate*

The solution protects applications against unauthorized access by intelligently detecting open sessions and requiring user re-authentication if behavioral anomalies are found. For example, Secure Web Sessions can determine if an end-user has walked away and left a sensitive web-session open. The solution will then lock the application until an MFA challenge has been confirmed or an administrator unlock has been provided. The solution supports biometric and QR code authentication factors user challenges and identification.

#### *Protect Sessions*

Secure Web Sessions is able to add browser-level hardening like download prevention or blocking clipboard access to help ensure corporate data accessed via Identity SSO is kept safe. Additionally, integration with other CyberArk solutions can be leveraged such as optional integration and enforcement of CyberArk Endpoint Privilege Manager. This joint integration can be implemented as an additional 'check' before a user is allowed to access specific applications, further protecting against ransomware and other threats by blocking untrusted scripts and applications.

## Automate Controls

The latest Security layer offered - Session Control - allows customers to create automatic rules based on specific user actions within their sensitive applications. Changes to security policies and settings, lists of allowed and blocked entries, and any other user action taken within an application can be used as the basis for the rule. The result when it fires can then be sending notifications via third-party systems, flagging the audited action as suspicious, and even outright blocking specific entries or clicks.

## Principal Service Commitments and System Requirements

CyberArk designs its processes and procedures related to CyberArk Secure Web Sessions SaaS Services System to meet its objectives for its CyberArk Secure Web Sessions SaaS Services System. Those objectives are based on the service commitments that CyberArk makes to user entities, the laws and regulations that govern the provision of the CyberArk Secure Web Sessions SaaS Services System, and the financial, operational, and compliance requirements that CyberArk has established for the service. The CyberArk Secure Web Sessions SaaS solution is subject to the security and privacy requirements of the relevant privacy and security laws and regulations in the jurisdictions in which CyberArk operates.

Security commitments to user entities are documented and communicated in Service Level Agreements (SLAs) and other customer agreements, as well as in the description of the service offering provided online. Security commitments are standardized and include, but are not limited to, the following:

- Security concepts within the fundamental designs of the CyberArk Secure Web Sessions SaaS solution that is designed to permit system users to access the information they need with the controls provided by the solution to protect the sensitive session in the company web application.
- Use of encryption technologies to protect customer data both at rest and in transit.

CyberArk establishes operational requirements that support the achievement of security commitments, relevant laws and regulations, and other system requirements. Such requirements are communicated in CyberArk's system policies and procedures, system design documentation, and contracts with customers. Information security policies define an organization-wide approach to how systems and data are protected. These include policies around how the service is designed and developed, how the system is operated, how the internal business systems and networks are managed and how employees are hired and trained. In addition to these policies, standard operating procedures have been documented on how to carry out specific manual and automated processes required in the operation and development of the CyberArk Secure Web Sessions SaaS solution.

## Components of the System

### Infrastructure

Primary infrastructure used to provide CyberArk's Secure Web Sessions Services System includes the following:

Primary Infrastructure		
Hardware	Type	Purpose
Web Server	Linux NGINX	The frontend servers that provide access into Secure Web Sessions and the connection to Secure Web Sessions tenants
RDS	Aurora	Database of Secure Web Sessions which includes all the application data

Primary Infrastructure		
Hardware	Type	Purpose
Infrastructure Servers	Web server, SQL servers, EKS cluster, and servers for monitoring and internal management	Secure Web Sessions runs on an EKS cluster supported by database servers. In addition, we have additional servers which are used for the operations of the service. The operations servers include, a configuration management server, jump servers, and monitoring servers
Storage Service	Elastic block store	High-performance block storage service on which Secure Web Sessions data is stored and encrypted at rest Customer recordings and data from sessions audited by Secure Web Sessions are stored separately from all other application data
Firewalls	Host-based firewall Hardware firewall	Harden the access into CyberArk Secure Web Sessions SaaS services and to prevent lateral movement from one server to another

### Software

Primary software used to provide CyberArk's Secure Web Sessions Services System includes the following:

Primary Software		
Software	Operating System	Purpose
Office 365	Office 365 Cloud Services	Business and Client services for Voice, E-mail, Documents and Team Communication
MySQL Workbench	Windows Server 2016	Managing Database
Redis Client	Windows Server 2016	Managing Redis Cluster
WinZip	Windows Server 2016	For file zipping
CyberArk Endpoint Privilege Manager Agent	Windows Server 2016	Endpoint protection using CyberArk Endpoint Privilege Manager
AuditBeat	Windows Server 2016, Linux	File integrity monitoring agent
CyberArk Application Identity Manager	Windows Server 2016	Application identity manager
Istio	Linux	Used to encrypt traffic between EKS worker nodes
Eksctl	Linux	Manage EKS Cluster

### People

CyberArk staff provides support for the above services in each of the following functional areas:

- Executive management - provides general oversight and strategic planning of operations.
- Development team - responsible for delivering a responsive system that fully complies with the functional specification.

- Quality assurance team - verifies that the system complies with the functional specification through functional testing procedures.
- System administrators - responsible for effective provisioning, installation/configuration, operation, and maintenance of systems hardware and software relevant to the system.
- Customer support - serves customers by providing product and service information that includes resolving product and service issues.

### *Data*

Customer data is managed, processed, and stored in accordance with the relevant data protection and other regulations, with specific requirements formally established in customer contracts. Customer data is captured which is utilized by CyberArk in delivering its CyberArk Secure Web Sessions SaaS solution. Such data includes, but is not limited to, the following:

- Alert notifications and monitoring reports generated from the commercial monitoring applications.
- Alert notifications received from automated backup systems.
- Vulnerability or security alerts received from various sources including security subscriptions, scanning tools, IDS alerts, or automated patching systems.

### *Processes, Policies and Procedures*

Formal Information Technology (IT) policies and procedures exist that describe physical security, logical access, computer operations, change control, and data communication standards. Teams are expected to adhere to CyberArk's policies and procedures that define how services should be delivered. These are located on the Company's intranet and can be accessed by any CyberArk team member.

### Physical Security

Employees are provided with card access and granted access to CyberArk Offices as defined by their roles. The access card/ID system is used to control access in order to enter an office. Certain areas are more sensitive than others and require extra security. Visitors in CyberArk Offices must be escorted and follow the company guidelines beyond the entrance point. Visitors must present a clearly visible visitor badge. Upon an employee's termination of employment, the access is disabled from the facility. The Chief Information Security Officer (CISO) is responsible for assessing and providing physical security solutions to CyberArk Offices globally.

CyberArk Secure Web Sessions solution runs on AWS data centers which are Service Organization Control (SOC) 2 Type II certified, with fully redundant power backup systems, fire suppression systems and security guards. Data centers are hardened against physical intrusion, and server room access is limited to certified employees.

### Logical Access

CyberArk uses role-based security architecture and requires users of the system to be identified and authenticated prior to the use of any system resources. The procedures include the life cycle of user access from the initial registration to the de-registration of users who no longer need access. Resources are protected using native system security and add-on software products that identify and authenticate users and validate access requests against the users' authorized roles in access control lists. Segregation of duty is in place between the group that approves the access and the group that provides the access.

Asset management procedures are in place to define the process of receiving, tagging, documenting and disposing of the equipment. An information security steering committee consisting of the Chief Executive Officer (CEO), General Manager (GM), Chief Information Officer (CIO) and CISO holds regular meetings to review the information security projects and other necessary management activities.

### Computer Operations - Backups

Customer data is backed up and monitored by operations personnel for completion. Business-related data is protected by regular backups performed per schedule. In the event of an exception, operations personnel perform troubleshooting to identify the root cause and then re-run the backup job immediately. The IT department practices procedures to store information to prevent unauthorized use. Regular restores are performed on certain defined files.

### Computer Operations - Availability

Incident response policies and procedures are in place to guide personnel in reporting and responding to information technology incidents. Procedures exist to identify, report, and act upon system security breaches and other incidents. Incident response procedures are in place to identify and respond to incidents on the network.

CyberArk monitors the capacity utilization of physical and computing infrastructure both internally and for customers to ensure that service delivery matches service level agreements.

CyberArk evaluates the need for additional infrastructure capacity in response to the growth of existing customers and/or the addition of new customers. Infrastructure capacity monitoring includes, but is not limited to, the following infrastructure:

- Data center space, power and cooling
- Disk storage
- Network bandwidth

CyberArk has implemented a patch management process to ensure contracted customers and infrastructure systems are patched in accordance with vendor-recommended operating system patches. CyberArk's business continuity plan and disaster recovery plans are designed to provide solutions in case of disasters and unexpected interruptions.

### Change Control

CyberArk maintains documented change management policies and procedures to guide personnel in documenting and implementing application and infrastructure changes. A ticketing system is utilized to document the change control procedures for changes in the application and implementation of new changes. Quality assurance testing results are maintained for the changes. Development and testing are performed in an environment that is logically separated from the production environment. Version control software is utilized to maintain source code versions and migrate source code through the development process to the production environment. The version control software maintains a history of code changes to support rollback capabilities and tracks changes to developers.

### Data Communications

Firewall systems are in place to filter unauthorized inbound network traffic from the Internet and deny any type of network connection that is not explicitly authorized. Network address translation (NAT) functionality is utilized to manage internal Internet Protocol (IP) addresses. Administrative access to the firewall is restricted to authorized employees.

Redundancy is built into the system infrastructure supporting the data center services to help ensure that there is no single point of failure including firewalls, routers, and servers. In the event that a primary system fails, the redundant hardware is configured to take its place. Penetration testing is conducted to measure the security posture of a target system or environment. Vulnerability scanning is performed as a part of the penetration testing. Authorized employees may access the system from the Internet through the use of Virtual Private Network (VPN) technology. Employees are authenticated through the use of a token-based two-factor authentication system.

## Boundaries of the System

The scope of this report includes CyberArk's Secure Web Sessions Services System performed at the Newton, Massachusetts (United States headquarters), Tel Aviv, Israel (corporate headquarters) and various other locations by personnel working remotely.

This report does not include the cloud hosting services provided by AWS.

## Changes to the System in the Last 12 Months

No significant changes have occurred to the services provided to user entities in the 12 months preceding the end of the review period.

## Incidents in the Last 12 Months

No significant incidents have occurred to the services provided to user entities in the 12 months preceding the end of the review period.

## Criteria Not Applicable to the System

All Common / Security, Availability, and Confidentiality criteria were applicable to CyberArk's Secure Web Sessions Services System.

## Subservice Organizations

This report does not include the cloud hosting services provided by AWS at various facilities.

### *Subservice Description of Services*

CyberArk leverages a variety of AWS offerings for hosting CyberArk platform infrastructure. AWS allows for a secure, scalable and redundant utilization of cloud computing, storage and network resources. The listing of utilized AWS services is detailed under the "Components of the System: Infrastructure" section of this document.

### *Complementary Subservice Organization Controls*

CyberArk's services are designed with the assumption that certain controls will be implemented by the subservice organization. Such controls are called complementary subservice organization controls. It is not feasible for all of the control objectives related to CyberArk's services to be solely achieved by CyberArk control procedures. Accordingly, the subservice organization, in conjunction with the services, should establish their own internal controls or procedures to complement those of CyberArk.

The following subservice organization controls should be implemented by AWS to provide additional assurance that the control objectives described within this report are met:

Subservice Organization - Amazon Web Services		
Category	Criteria	Control
Common Criteria / Security	CC6.4	Physical access to data centers is approved by an authorized individual.
		Physical access is revoked within 24 hours of the employee or vendor record being deactivated.
		Physical access to data centers is reviewed on a quarterly basis by appropriate personnel.

## Subservice Organization - Amazon Web Services

Category	Criteria	Control
		Physical access points to server locations are recorded by closed circuit television camera (CCTV). Images are retained for 90 days, unless limited by legal or contractual obligations.
		Physical access points to server locations are managed by electronic access control devices.
		Electronic intrusion detection systems are installed within data server locations to monitor, detect, and automatically alert appropriate personnel of security incidents.
Common Criteria / Security, Confidentiality	CC6.5, C1.2	All AWS production media is securely decommissioned and physically destroyed prior to leaving AWS Secure Zones.
		AWS provides customers with the ability to delete their content. Once successfully removed the data is rendered unreadable.
		AWS retains customer content per customer agreements.
Common Criteria / Availability	A1.2	Amazon-owned data centers are protected by fire detection and suppression systems.
		Amazon-owned data centers are air conditioned to maintain appropriate atmospheric conditions. Personnel and systems monitor and control air temperature and humidity at appropriate levels.
		Uninterruptible Power Supply (UPS) units provide backup power in the event of an electrical failure in Amazon-owned data centers.
		Amazon-owned data centers have generators to provide backup power in case of electrical failure.
		Contracts are in place with third-party colocation service providers which include provisions to provide fire suppression systems, air conditioning to maintain appropriate atmospheric conditions, UPS units, and redundant power supplies.
		AWS performs periodic reviews of colocation service providers to validate adherence with AWS security and operational standards.
		S3-Specific - When disk corruption or device failure is detected, the system automatically attempts to restore normal levels of object storage redundancy.
		S3-Specific - Objects are stored redundantly across multiple fault-isolated facilities.
		S3-Specific - The design of systems is sufficiently redundant to sustain the loss of a data center facility without interruption to the service.
		RDS-Specific - If enabled by the customer, RDS backs up customer databases, stores backups for user-defined retention periods, and supports point-in-time recovery.

Subservice Organization - Amazon Web Services		
Category	Criteria	Control
		Monitoring and alarming are configured by Service Owners to identify and notify operational and management personnel of incidents when early warning thresholds are crossed on key operational metrics.
		Incidents are logged within a ticketing system, assigned severity rating and tracked to resolution.
		Critical AWS system components are replicated across multiple Availability Zones and backups are maintained.
		Backups of critical AWS system components are monitored for successful replication across multiple Availability Zones.

CyberArk management, along with the subservice organization, define the scope and responsibility of the controls necessary to meet all the relevant trust services criteria through written contracts, such as service level agreements. In addition, CyberArk performs monitoring of the subservice organization controls, including the following procedures:

- Reviewing attestation reports over services provided by vendors and the subservice organization.
- Monitoring external communications, relevant to the services by the subservice organization.

#### COMPLEMENTARY USER ENTITY CONTROLS

CyberArk's services are designed with the assumption that certain controls will be implemented by user entities. Such controls are called complementary user entity controls. It is not feasible for all of the Trust Services Criteria related to CyberArk's services to be solely achieved by CyberArk control procedures. Accordingly, user entities, in conjunction with the services, should establish their own internal controls or procedures to complement those of CyberArk.

The following complementary user entity controls should be implemented by user entities to provide additional assurance that the Trust Services Criteria described within this report are met. As these items represent only a part of the control considerations that might be pertinent at the user entities' locations, user entities' auditors should exercise judgment in selecting and reviewing these complementary user entity controls.

1. User entities are responsible for understanding and complying with their contractual obligations to CyberArk.
2. User entities are responsible for notifying CyberArk of changes made to technical or administrative contact information.
3. User entities are responsible for maintaining their own systems of record.
4. User entities are responsible for ensuring the supervision, management, and control of the use of CyberArk services by their personnel.
5. User entities are responsible for providing CyberArk with a list of approvers for security and system configuration changes for data transmission.
6. User entities are responsible for immediately notifying CyberArk of any actual or suspected information security breaches, including compromised user accounts, including those used for integrations and secure file transfers.
7. User entities are responsible for developing their own disaster recovery and business continuity plans that address the inability to access or utilize CyberArk services.

8. User entities are responsible for user access administration in the CyberArk SaaS product, including reviewing access for their personnel as needed.
9. User entities are responsible for exporting any customer data from the SaaS product to which they desire continued access to within 60 days of termination or expiration of the customer's subscription term.